



**SAFETY DATA SHEET**  
**ALL PURPOSE PRIMER - WHITE (WATER BASED)**

### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME ALL PURPOSE PRIMER - WHITE (WATER BASED)  
 PRODUCT NO. 312/Q201/4  
 APPLICATION Paint  
 SUPPLIER COO-VAR  
 Lockwood Street  
 Hull  
 HU2 0HN  
 +44 (0) 1482 328053(T)  
 +44 (0) 1482 219266(F)  
 info@coo-var.co.uk  
 CONTACT PERSON as above

### 2 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
2-AMINOETHANOL	205-483-3	141-43-5	< 1	C;R34 Xn;R20/21/22
2-BUTOXYETHANOL	203-905-0	111-76-2	1-5%	Xn;R20/21/22 Xi;R36/38
PROPAN-2-OL	200-661-7	67-63-0	< 1	F;R11 Xi;R36 R67
SODIUM NITRITE	231-555-9	7632-00-0	< 1	O;R8 T;R25 N;R50
TRIZINC BIS(ORTHOPHOSPHATE)	231-944-3	7779-90-0	5-10%	N;R50/53

The Full Text for all R-Phrases are Displayed in Section 16

### 3 HAZARDS IDENTIFICATION

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CLASSIFICATION N;R51/53.

#### ENVIRONMENT

The product contains a substance which is toxic to aquatic organisms and which may cause long term adverse effects in the aquatic environment.

#### HUMAN HEALTH

Prolonged skin contact may cause redness, irritation and dry skin.

### 4 FIRST-AID MEASURES

#### GENERAL INFORMATION

General first aid, rest, warmth and fresh air. Do not give victim anything to drink if they are unconscious.

#### INHALATION

Remove victim immediately from source of exposure. Provide rest, warmth and fresh air. Get medical attention if any discomfort continues. Place unconscious person on the side in the recovery position and ensure breathing

#### INGESTION

DO NOT induce vomiting. Get medical attention immediately. Provide fresh air, warmth and rest, preferably in comfortable upright sitting position.

#### SKIN CONTACT

Remove affected person from source of contamination. Remove contaminated clothing immediately and wash skin with soap and water.

**ALL PURPOSE PRIMER - WHITE (WATER BASED)****EYE CONTACT**

Make sure to remove any contact lenses from the eyes before rinsing. Continue to rinse for at least 15 minutes and get medical attention.

**5 FIRE-FIGHTING MEASURES****EXTINGUISHING MEDIA**

Extinguish with foam, carbon dioxide, dry powder or water fog. Do not use water jet as an extinguisher, as this will spread the fire.

**SPECIAL FIRE FIGHTING PROCEDURES**

Avoid breathing fire vapours. Do not allow runoff to sewer, waterway or ground. Cool containers exposed to flames with water until well after the fire is out.

**SPECIFIC HAZARDS**

The product is non-combustible. If heated, corrosive and toxic vapours/gases may be formed.

**PROTECTIVE MEASURES IN FIRE**

Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

**6 ACCIDENTAL RELEASE MEASURES****PERSONAL PRECAUTIONS**

Avoid inhalation of vapours and contact with skin and eyes. Provide adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet.

**ENVIRONMENTAL PRECAUTIONS**

Do not discharge into drains, water courses or onto the ground. Contain spillages with sand, earth or any suitable adsorbent material. Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body.

**SPILL CLEAN UP METHODS**

Should be prevented from entering drains. Absorb in vermiculite, dry sand or earth and place into containers. Collect spillage in containers, seal securely and deliver for disposal according to local regulations.

**7 HANDLING AND STORAGE****USAGE PRECAUTIONS**

Keep away from heat, sparks and open flame. Avoid spilling, skin and eye contact. Avoid inhalation of vapours and spray mists. Do not eat, drink or smoke when using the product. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. The Manual Handling Operations Regulations may apply to the handling of containers of this product. To assist employers, the following method of calculating the weight for any pack size is given. Take the pack size volume in litres and multiply this figure by the specific gravity value given in section 9. This will give the net weight of the coating in kilograms. Allowance will then have to be made for the immediate packaging to give an approximate gross weight.

**USAGE DESCRIPTION**

Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container

**STORAGE PRECAUTIONS**

Store in closed original container at temperatures between 5°C and 25°C. Keep away from heat, sparks and open flame. Protect from freezing and direct sunlight. Keep containers tightly closed. Keep upright. Store separated from: Oxidising material. Alkalies. Acids.

**8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

Name	Std	LT - ppm	LT - mg/m3	ST - ppm	ST - mg/m3
2-AMINOETHANOL	WEL	3 ppm	7.6 mg/m3	6 ppm	15 mg/m3
2-BUTOXYETHANOL	WEL	25 ppm(Sk)		50 ppm(Sk)	
PROPAN-2-OL	WEL	400 ppm	999 mg/m3	500 ppm	1250 mg/m3

**INGREDIENT COMMENTS**

WEL = Workplace Exposure Limits

**PROTECTIVE EQUIPMENT**

**ALL PURPOSE PRIMER - WHITE (WATER BASED)****ENGINEERING MEASURES**

Provide adequate ventilation. Observe Workplace Exposure Limits and minimise the risk of inhalation of vapours.

**RESPIRATORY EQUIPMENT**

No specific recommendation made, but respiratory protection may still be required under exceptional circumstances when excessive air contamination exists.

**HAND PROTECTION**

Use suitable protective gloves if risk of skin contact. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material. Barrier cream applied before work may make it easier to clean the skin after exposure, but does not prevent absorption through the skin.

**EYE PROTECTION**

Wear approved, tight fitting safety glasses where splashing is probable.

**OTHER PROTECTION**

Wear appropriate clothing to prevent reasonably probable skin contact.

**HYGIENE MEASURES**

No specific hygiene procedures noted, but good personal hygiene practices are always advisable, especially when working with chemicals.

**9 PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	Viscous Coloured liquid		
COLOUR	White		
ODOUR	Slight odour		
SOLUBILITY	Soluble in water		
RELATIVE DENSITY	1.42 approx. @ 20 C	VAPOUR DENSITY (air=1)	heavier than air
pH-VALUE, CONC. SOLUTION	7.0 - 8.0	VISCOSITY	2.0 - 3.0 Ps @ 25 C
FLASH POINT (°C)	N/A	VOLATILE ORGANIC COMPOUND (VOC)	40 g/litre

**10 STABILITY AND REACTIVITY****STABILITY**

Stable under normal temperature conditions and recommended use.

**CONDITIONS TO AVOID**

Avoid heat, flames and other sources of ignition. Avoid contact with acids and oxidising substances.

**MATERIALS TO AVOID**

Strong alkalis. Strong acids. Strong oxidising substances.

**HAZARDOUS DECOMPOSITION PRODUCTS**

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

**11 TOXICOLOGICAL INFORMATION****TOXICOLOGICAL INFORMATION**

No data recorded.

**GENERAL INFORMATION**

No specific health warnings noted.

**INGESTION**

No harmful effects expected in amounts likely to be ingested by accident.

**SKIN CONTACT**

Prolonged contact may cause dryness of the skin.

**EYE CONTACT**

May cause temporary eye irritation.

**ALL PURPOSE PRIMER - WHITE (WATER BASED)****HEALTH WARNINGS**

This product has low toxicity. Only large volumes may have adverse impact on human health.

**MEDICAL CONSIDERATIONS**

Skin disorders and allergies.

**12 ECOLOGICAL INFORMATION****ECOTOXICITY**

The product contains substances which are toxic to aquatic organisms and which may cause long term adverse effects in the aquatic environment.

**13 DISPOSAL CONSIDERATIONS****GENERAL INFORMATION**

Do not allow to enter drains, sewers or watercourses. Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.

**DISPOSAL METHODS**

Do not allow runoff to sewer, waterway or ground.

**WASTE CLASS**

When this coating, in its liquid state, as supplied, becomes a waste, it is categorised as hazardous waste, with code 08 01 11\* (WATER BASED LIQUID WASTE CONTAINING ZINC COMPOUNDS). Part used containers, not drained and/or rigorously scraped out and containing dried residues of the supplied coating, are categorised as hazardous waste, with code 08 01 11\* (WATER BASED LIQUID WASTE CONTAINING ZINC COMPOUNDS). Used containers, drained and/or rigorously scraped out and containing dry residues of the supplied coating, are categorised as non-hazardous waste, with code 15 01 02 (plastic packaging) or 15 01 04 (metal packaging). If mixed with other wastes, the above waste code may not be applicable.

**14 TRANSPORT INFORMATION****GENERAL**

No other information noted.



UK ROAD CLASS	9		
PROPER SHIPPING NAME	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID N.O.S.		
PROPER SHIPPING NAME	(TRIZINC BIS(ORTHOPHOSPHATE), SODIUM NITRITE)		
UN NO. ROAD	3082	UK ROAD PACK GR.	III
ADR CLASS NO.	9	ADR CLASS	Class 9: Environmentally hazardous substance, liquid, N.O.S.
ADR PACK GROUP	III	RID CLASS NO.	9
RID PACK GROUP	III	UN NO. SEA	3082
IMDG CLASS	9	IMDG PACK GR.	III
EMS	F-A, S-F	MARINE POLLUTANT	No.
UN NO. AIR	3082	AIR CLASS	9
AIR PACK GR.	III		

**15 REGULATORY INFORMATION****LABELLING**

Dangerous for the environment

**ALL PURPOSE PRIMER - WHITE (WATER BASED)**

## RISK PHRASES

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## SAFETY PHRASES

S2 Keep out of the reach of children  
 S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
 S36/37 Wear suitable protective clothing and gloves.  
 S29 Do not empty into drains.  
 S61 Avoid release to the environment. Refer to special instructions/safety data sheets.

## UK REGULATORY REFERENCES

Chemicals (Hazard Information & Packaging) Regulations. The Control of Substances Hazardous to Health Regulations 1988. Health and Safety at Work Act 1974.

## ENVIRONMENTAL LISTING

Control of Pollution Act 1974. Rivers (Prevention of Pollution) Act 1961.

## EU DIRECTIVES

Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC.

## STATUTORY INSTRUMENTS

Chemicals (Hazard Information and Packaging) Regulations. Control of Substances Hazardous to Health.

## APPROVED CODE OF PRACTICE

Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply.

## GUIDANCE NOTES

Workplace Exposure Limits EH40. CHIP for everyone HSG(108).

## NATIONAL REGULATIONS

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002. No. 1689. Workplace Exposure Limits 2005 (EH40) Health and Safety at Work Act (As Amended) 1974 Control of Substances Hazardous to Health Regulations 2002 (as amended) The Carriage of Dangerous Goods and use of transportable pressure equipment regulations 2004. The Manual Handling Operations Regulations 1992 [SI 1992:2793]

**16 OTHER INFORMATION**

## REVISION COMMENTS

Addition of references to Manual Handling Regulations in Section 7; Classification of Waste in Section 13; associated Regulatory References in Section 15. Corrections to Section 14, Transport Information

## ISSUED BY

Technical Dept. (P.E.)

REVISION DATE 29/01/2007

REV. NO./REPL. SDS GENERATED 3

SDS NO. 10767

## SAFETY DATA SHEET STATUS

Approved.

DATE Date printed \_\_\_\_\_

SIGNATURE Initials \_\_\_\_\_

## RISK PHRASES IN FULL

R11 Highly flammable.  
 R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.  
 R25 Toxic if swallowed.  
 R34 Causes burns.  
 R36 Irritating to eyes.  
 R36/38 Irritating to eyes and skin.  
 R37 Irritating to respiratory system.  
 R50 Very toxic to aquatic organisms.  
 R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
 R67 Vapours may cause drowsiness and dizziness.  
 R8 Contact with combustible material may cause fire.

**ALL PURPOSE PRIMER - WHITE (WATER BASED)****DISCLAIMER**

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.