



SINCE 1839



We've seen it appear everywhere the last few years, the longing for the craftsmanship, tradition and quality of yesteryear.

Chefs are working with 'beautiful' products and, as a consequence, we're suddenly eating 'forgotten' vegetables. Special beers from local breweries with a back story are popping up all over the place.

We want to see and understand how something is made. The comeback of the barber, where you can get a traditional haircut and shave, also shows that penchant for quality and a respect for people who know their trade.

Vliegenthart began in 1839 pressing linseed oil. This oil is still the mainstay of our organisation. We're now a respected producer of linseed oil and semi-manufactured products for the paint industry worldwide. We have built up an enormous amount of expertise in more than 175 years. A part of that knowledge has been set down in a handwritten cook book. It contains innumerable proven formulas for various varnishes, lacquers, oils and a great many other products for the protection of wood and other materials. In the existing trade and production industry, we also noticed that there was a resurgence in demand in the European paint business for authentic quality products, particularly in the area of wood finishes. In response to that demand, we've gone back to the authentic Vliegenthart formulas and combined them with modern chemistry. Basic formulas from the past combined with the best of today! We believe in authentic quality products made with traditional workmanship. This is where we have started, under the recognisable brand name: Lacq.

Because of this belief, we only make our Lacq products with proven, high-quality ingredients. Top quality oils, resins and waxes form the basis and are combined with traditional expertise. You can compare the process with making soup: the right ingredients, temperature, when to stir and how much seasoning to add ultimately determines the flavour, or, in our case, the quality.

Where we used to make our products in copper cauldrons on an open fire, that's the only thing that has changed: copper has been replaced by stainless steel and the open fire by induction.

The combination of oils and natural resins means that our coatings stay flexible for as long as possible, so that the wood can flex throughout the seasons. This is the big difference with many 'modern' products that dry out and become hard too quickly, so that the protective layer on flexing wood gets damaged sooner.

Our Lacq product line is made with the demands of the professional user in mind, but it is also more than suitable for the more serious handyman who values a quality product with a story.

So, choose authentic quality, choose Lacq!



Contents

Lacq Energol	page 4	Lacq Specials Tung Oil	page 22
Lacq Produra	page 6	Lacq Rapidoil 2c	page 24
Lacq Natuleum	page 8	Lacq Parketlak	page 26
Lacq Douglas Beits	page 10	Lacq Floor Varnish X10	page 28
Lacq Turbogel	page 12	Lacq Nourishing Floor Soap	page 30
Lacq Hardwood Oil	page 14	Lacq Textile Protector	page 31
Lacq Deck and Terrace Oil	page 16	Lacq Pine Tar	page 32
Lacq Yacht Varnish	page 18	Lacq Bitumax	page 33
Lacq Decowax	page 20	Fluxaf Range	page 34



OUTDOOR WOOD

fencing

shed

veranda

garden furniture

other outdoor wood

The most durable protection of your outdoor wood

The main constituent of Energol is natural linseed oil. The oil is absorbed by the wood and nourishes it from within. After several coats have been applied, Energol leaves a protective film on the wood surface. Your wood is then durably protected from the weather, whether that's sunlight or rain. The protective coat breathes and stays elastic so that it doesn't crack on wood.

Maintain the natural appearance of wood

Energol provides a transparent semi-gloss coat on your wood. The natural grain remains visible and Energol prevents the wood from turning grey.

Sanding before application isn't necessary


You don't have to do any sanding before you apply Energol to untreated wood! Do check the surface for anything loose and/or damaged though, and remove if necessary.



Lacq Energol is an authentic protective product for all wooden surfaces. The traditional combination of wood oil and linseed oil ensures an optimum result.

Suitable for all outdoor wood

Lacq Energol is a versatile wood protector for all your outdoor wood surfaces. Not just fences, sheds or verandas but garden furniture and playground equipment also receive long-lasting protection. Although Energol is suitable for every sort of wood, the way it can be used can differ. For more information about the treatment of different sorts of wood, see www.lacq.eu



Step 1:

Make sure that the surface is dry and free of dust, splinters and damage before you start by using a stiff brush.



Step 2:

Apply Energol in the direction of the grain with a flat paintbrush. You can use a roller or a sprayer for larger surfaces.




Step 3:

Just two coats of Energol are enough to provide protection, but for a semi-gloss finish we recommend the application of a third.



Wood stain:

Is absorbed by the wood.



Paint:

Leaves a coating on the wood.



Energol:

Nourishes the wood from within and leaves a protective film on it.



OUTDOOR WOOD

fencing

shed

veranda

garden furniture

other outdoor wood

No sanding necessary

You don't have to do any sanding before applying Produra to untreated wood. Do check the surface for anything loose and/or damaged though, and remove if necessary.

Ready after just two coats

Produra's outstanding quality means that most wooden surfaces just need one coat, but for optimum protection we always advise two.

Flexes with your wood

Produra protects your wood from the weather, but doesn't stop it breathing. Produra stays flexible for years, it remains intact and moves with changes in the wood and it offers a high degree of protection from UV light.

Matt finish


Produra lends wood a matt protective coating whilst maintaining its natural look. Its composition means that Produra dries quickly so that you can complete your project fast.

Environmentally and people-friendly

Produra is based on water and vegetable binding agents, making it odourless and environmentally and people-friendly.



Lacq Produra is a durable and high-quality protective product for all wooden surfaces. It is solvent-free and consists mainly of natural ingredients like vegetable oils and water. The unique composition of Produra provides a transparent protective coat from within the wood.



The illustrated colours are merely an indication of the final effect and may differ.

Step 1:

Make sure that the surface is dry and free of dust, splinters and damage. Use a stiff brush.



Step 2:

Stir Produra well and apply in the direction of the grain with a flat paint brush. You can use a roller or a sprayer for larger surfaces.

Step 3:

Just two coats of Produra are enough to provide protection and colour.





OUTDOOR WOOD

fencing

shed

veranda

garden furniture

other outdoor wood

Solvent-free

Natuleum does not contain any harmful solvents. As well as not harming the environment, no part of the product is lost to evaporation and 100% of the material remains on the wood for optimum protection.

Natural substitute for creosote

Creosote used to be used a lot on sheds and fences, but it is, in fact, harmful to people and bad for the environment. Natuleum is the natural, safe alternative. It can also be applied to old coats of creosote.

Stays black for a long time

Natuleum provides your wood a natural deep brown-black colour. The combination of the high-quality natural ingredients ensure that Natuleum stays black where similar products quickly turn grey.



Lacq Natuleum is a traditionally cooked product consisting of natural waxes, resins and oils for superb protection of outdoor wood.

Long-lasting protection

Natuleum is traditionally cooked and consists of natural waxes, resins and vegetable oils. The composition ensures that Natuleum penetrates the wood and builds up a protective coat from within. The Natuleum coat remains flexible for a long time and has excellent moisture resistance.



douglas beits



Lacq Douglas Beits is a durable and high-quality protective agent especially suitable for Douglas and larch wood. Douglas Beits protects your wood against weather influences, so that the wood retains its natural appearance for a long time.

No sanding required

In the case of wood that has not been previously treated, there is no need to sand before applying Douglas Beits. However, check the surface for loose and/or faulty parts. Remove if necessary.



The illustrated colours are merely an indication of the final effect and may differ.

OUTDOOR WOOD fence garden house veranda garden furniture rabbit parts other outdoor wood types

Ready in just 2 coats

Thanks to the hiding power, in most cases one coat will already provide great coverage. For optimal protection against moisture and UV light, we always recommend applying 2 coats.

Does not leaf or tear

Douglas Beits protects your wood against the weather but does not seal it. This allows the wood to continue to breathe. The protective Douglas Beits coat remains flexible for a long time and moves with the wood. The powerful UV filter protects your wood against discolouration from the sun.

Natural finish

Douglas Beits gives the wood a matt protective coat and preserves its natural appearance. You can choose to maintain a natural reddish-brown colour to enrich with Douglas Brown, or pre-grey your wood with Douglas Beits Aged Grey.

People and environment-friendly

Douglas Beits is based on water and vegetable binders. Thanks to this composition, the product dries quickly, is odourless and friendly to people and the environment.

Step 1:

Before you start coating, make sure that the surface is thoroughly dry and free of dust and faulty parts. To do this, use a hard brush.




Step 2:

Stir Douglas Beits well before use and apply the product in the longitudinal direction of the wood by using a flat brush. For larger surfaces, you can also use a roller or a syringe.

Step 3:

Two coats of Douglas stain is sufficient for protection and colour.



turbogel



Lacq Turbogel is a powerful wood reviver and cleaner. Clean and revive weathered decking and other outdoor wood easily without damage. The gel form makes Turbogel easy to apply on vertical surfaces and it is therefore ideal for wooden garden furniture.

Get rid of the old, weathered colour of your outdoor wood
Lacq Turbogel penetrates deeply into old wood. Removes the weathering and revives the original wood color.

Cleans wood thoroughly
As well as getting rid of any weathering, Lacq Turbogel removes any deposits on the wood like dirt and algae.



WEATHERED OUTDOOR WOOD decking garden furniture veranda wooden bridges other outdoor wood

No pressure washer required

If you clean wood with a pressure washer, you damage the wood and shorten its useful life. Turbogel cleans and revives the wood without shortening its lifespan.

Make cleaning outdoor wood a simple job

Apply Turbogel with a flat paintbrush and let the product do its work for 20 minutes. Scrub the wood thoroughly with a stiff brush and rinse with clean water.

Suitable for decking, garden furniture and other outdoor wood

Lacq Turbogel is suitable for reviving all sorts of wood. The gel formula makes it easy to apply to vertical surfaces: useful for giving garden furniture a new lease of life.

Biodegradable, harmless for your garden

Lacq Turbogel is entirely biodegradable. If you follow the simple steps, you won't have to worry about damaging the rest of your garden when you clean your outdoor wood.

Step 1:

Apply Turbogel liberally with a paintbrush in the direction of the grain.



Step 2:

Allow Turbogel to work for at least 20 minutes.

Step 3:

Clean the wood thoroughly with a stiff brush and rinse with clean water.



hardwood oil



Lacq Hardwood Oil is a traditional recipe of blended vegetable oils to protect and maintain wooden garden furniture and decking annually.

Protect outdoor wood against dirt and ageing in a natural way

Lacq Hardwood Oil is a combination of vegetable oils that have been prepared in accordance with a traditional recipe. The wood is protected from dirt and ageing in a natural way.

OUTDOOR WOOD

garden furniture

decking

Maintain your outdoor wood and extend its life

The weather has a negative effect on wood. Lacq Hardwood Oil nourishes wood from within and prevents it drying out. The oil also impregnates the wood and makes it water-repellent.

Make aged wood look beautiful naturally

Lacq Hardwood Oil gives weathered wood its colour again in a natural way and helps prevent further ageing.

Suitable for decking, garden furniture and other outdoor wood



Lacq Hardwood Oil is suitable for all your outdoor wood.

Professional tip:

Clean and revive your wood with Lacq Turbogel before nourishing and impregnating it with Lacq Hardwood Oil. Extend the life of outdoor wood.

Step 1:

Apply Hardwood Oil with a flat paintbrush. A second coat can be applied on very absorbent surfaces while the first is still wet.



Step 2:

Allow the oil to be absorbed for 20 minutes before wiping any excess oil away with a lint-free cloth.

Step 3:

If, after the wood is completely dry, you still see some bare patches, repeat the treatment.



deck and terrace oil



GARDEN WOOD

wooden terrace

deck platforms

Extends the lifespan of your deck and/or terrace

Because of the weather, the quality of your wood deteriorates. Deck and Terrace Oil nourishes the wood from the inside and prevents the wood from drying out.

Enriches the natural face of the wood

Deck and Terrace Oil re-colours the wood and enriches its natural appearance. The powerful UV filter prevents further ageing.

A hint from the Professional

Remove the grey colour from your deck and/or terrace with Lacq Turbogel before you treat it with deck and terrace oil. In this way, you will achieve the best result and get the most out of the life of your garden wood.

Step 1:

Before you start, make sure that the surface is thoroughly dry and free of dust. Then apply Deck and Terrace Oil with a brush or roller.




Step 2:

Let the oil soak in for 20 minutes and then polish excess oil away with a lint-free cloth.

Step 3:

When you still notice "skimpy" spots in the wood after drying, repeat the treatment.



Lacq Deck and Terrace Oil has been specially developed to protect your (hard) wooden terrace and decking against weather influences every year. In this way, the life span of the wood is extended.

Protects your (hard) wooden deck platforms against weather influences, making it water resistant.

Deck and Terrace Oil is composed of high-quality vegetable oils and waxes. These penetrate deep into the pores of the wood and are therefore maximally impregnating and prevent the growth of algae and fungi.



natural

bankirai

The illustrated colours are merely an indication of the final effect and may differ.

yacht varnish



The traditionally cooked yacht varnish stands out because of its optimum flow and ultra-high gloss. Lacq Yacht Varnish is extremely durable and water repellent. It also has a high elasticity therefore it doesn't crack.

Provides an ultra-high gloss coating

The unique composition of wood oil and traditionally cooked phenolic resin lends Lacq Yacht Varnish an unparalleled and durable gloss.

YACHTING

boats

door- and windowcases

doors

furniture

Builds up the coat thickness easily for an ultra-high gloss finish

Lacq Yacht Varnish is an easy-to-use one-can system with which you can build up the thickness of the coating on your wood with ease. Several coats ensure a beautiful deep effect that emphasises the structure of the wood.

Protect wood from the wear and tear of the weather

Lacq Yacht Varnish ensures a long-lasting protective coating, which, thanks to its special elasticity, doesn't crack on flexing wood. With inbuilt UV filter, this varnish can take on the worst the weather can throw at it.



Ideal for tabletops and other furniture

Lacq Yacht Varnish was developed for boats and yachts but is excellent for furniture. Give your wooden chair or table a beautiful gloss coat for a unique, contemporary effect.

Can also be used for door- and windowcases

If you want a gloss finish on your doors or door- or windowcases, then Lacq Yacht Varnish with its unique characteristics is ideal.





FURNITURE

floors

wooden home decorations

Give furniture a unique colour

Give furniture a second chance! Decowax is available in 12 colours. From a natural or weathered patina to a range of pastels, it's all possible with Decowax. Try one of the metallic finishes for an industrial look.

Easy to apply to untreated wood

Give untreated wood a new colour without losing the grain. Protects wood and evens out minor blemishes. For the best result, apply Decowax to a surface that hasn't been sanded

Suitable as a protective layer on top of chalk paint or other porous paints.

Chalk paint is a porous and easily damaged paint that can't take moisture. Decowax allows you to apply a protective coating to make the chalk paint more durable. You can also create extraordinary effects by combining colours.

Can be used on floors

Traditionally wooden floors are treated with wax. Give your floor a quick and easy finish and you can walk on it again in no time.

Local damage can be fixed

In contrast with varnish, a difference in the height of coatings can be smoothed out with Lacq Decowax, so you can easily repair damage, rings left by glasses and scratches.

Easily applied

Apply Decowax with a paintbrush or a lint-free cloth. Let it dry briefly, then polish until you achieve the desired result.



Lacq Decowax can be used to add the finishing touch to wooden surfaces. Decowax is manufactured using traditional methods based on a 60-year-old, proven recipe.



The illustrated colours are merely an indication of the final effect and may differ.

tung oil



Lacq Specials Pure Tung Oil protects practically all wooden surfaces in a natural way from the weather, water, alcohol and food acids, making it ideal for protecting wooden kitchen worktops, tables and other interior wood. Tung Oil is also often used to maintain chopping boards. Pure Tung Oil provides a long-lasting matt finish.

WOODEN KITCHEN UTENSILS

chopping boards

salad bowl

worktop

Seals chopping boards in a natural way and protects them from moisture from food

Tung Oil is used to protect wooden chopping boards. Lacq Pure Tung Oil penetrates the chopping board in a natural way so that the wood can't absorb liquid from food products.

Prolong the life of your wooden kitchen utensils

Wood that is impregnated by the oil dries out less quickly even after it has been washed many times. When the wood does eventually dry out, you just have to repeat the Tung Oil treatment.

Step 1:

Apply the oil with a lint-free cloth or, if desired, a brush.



Step 2:

You can pour the oil onto larger surfaces and rub it in with a lint-free cloth. Allow at least 20 minutes for absorption.

Step 3:

Polish the excess oil away with a lint-free cloth. Allow to dry for at least 24 hours before applying the next coat. Allow at least 48 hours for the oil to dry thoroughly.



Give your wood a natural, matt look

Lacq Pure Tung Oil lends wood a warm, full colour, but stays matt so that it still looks natural.

Also suitable for other wood surfaces

As well as wooden surfaces in the kitchen, you can also use Lacq Pure Tung Oil for other wood like tabletops, etc.



rapid oil 2c



Lacq Rapidoil consists of two components. Component A is based on vegetable oil and is completely free of solvents. Just one coat of the product gives colour and protection to the wooden surface. When the solvent-free accelerator (component B) is added, the drying process of the oil is shortened. The floor can be used within 24 hours.



The illustrated colours are merely an indication of the final effect and may differ.

INTERIOR WOOD

parquet

wooden tabletops

wooden kitchen surfaces

other interior wood

Colours and protects in one coat

In contrast with other oil products, one coat of Rapidoil 2C is all you need on your wooden floor. Rapidoil 2C enriches the natural appearance of the wood and provides long-lasting protection. Rapidoil 2C makes the wood water repellent, which makes it also suitable for use in kitchens and bathrooms.

The floor can be used within 24 hours

Thanks to the combination of Rapidoil and the hardener, you floor dries quickly after treatment. You can walk on your floor again within 24 hours. The oil can be used for four to five hours after it has been mixed with the hardener.

Suitable for all types of wood

Rapidoil 2C can be used on every kind of wood, not just solid wood but also veneers. Keep in mind that the colour result may differ depending on the wood sort.

Easy to maintain

The floor can be cleaned with a mop and water after five days. Use Lacq Nourishing Floor Soap for optimum cleaning and preservation.

Ideal for tabletops

As well as for floors, Rapidoil 2C is perfect for use on tables, kitchen worktops and other wooden furniture.

Step 1:

Apply a small amount of Rapidoil 2C and spread it around with a paintbrush, cloth or floor polisher. Work in areas of 5 - 10 m².




Step 2:

Allow the Rapidoil 2C to be absorbed for at least 20 minutes, then remove any excess oil with a cloth of floor polisher. The surface has to feel dry to the touch!

Step 3:

The surface can be walked on within 24 hours after treatment in a well ventilated room.



parquet varnish



Lacq Paquet Varnish is a strong urethane acrylate-based varnish for hardwood and parquet floors with an extremely high wear resistance. Lacq Parquet Varnish is also very suitable for wooden furniture. Lacq Parquet Varnish is easy to apply and is especially recommended for wooden floors that are used intensively.



FLOORS

furniture

stairs

other interior wood

High wear resistance

The high-quality components of Lacq Parquet Varnish ensure a very high wear resistance, even with intensive use.

Very suitable for stairs and furniture

Although Lacq Parquet Varnish has been developed for floors, it is also very suitable for stairs or furniture. Gives your interior wood a beautiful wear-resistant finish.

Easy to maintain

After 7 days the floor can already be maintained with a mop, soap and water. For this, use Lacq Nourishing Floor Soap to guarantee an optimal lifetime of the protection.

Suitable for every type of wood

Lacq Parquet Varnish can be used on any type of wood, solid or veneer. It is odorless and therefore perfect for indoor processing.

Step 1:

First remove all old paint thoroughly and degrease the floor. Sand the surface and remove all dust remnants after sanding.



Step 2:

Stir the Lacq Parquet Varnish well before use.

Step 3:
Apply with a roller or brush. After 2 hours sand the surface and apply next layer. 3 layers is sufficient for maximum protection.



floor varnish X10



Floor Varnish X10 is a 1K polyurethane, clear, transparent sealer based on vegetable oil, which leaves a shiny finish after applying two or three coats. Floor Varnish X10 has been known for its high quality for more than 40 years.

FLOORS

concrete floors

wooden floors

garages

showrooms

Prevents dust

Floor Varnish X10 seals your concrete floor with a transparent layer, preventing the dusting caused by the wear and tear of untreated concrete floors. You protect and extend the life of your concrete floor.

Prevents dirt and moisture being absorbed

When dirt or liquid gets onto untreated concrete floors, they get absorbed and they mark the floor. Floor Varnish X10's transparent layer stops liquid and dirt being absorbed so that your floor stays beautiful longer, making X10 also ideal for garages and kitchens.

Easy to keep clean

The transparent Floor Varnish X10 layer makes your concrete floor easy to keep clean with a vacuum cleaner and mop.

Transparent shiny layer

Once a sufficiently thick layer has been built up, the floor will shine uniformly. It is also possible to add a colour to Floor Varnish X10. Ask your supplier.

1 pot system

Floor Varnish X10 is a 1-component polyurethane, and is therefore easy to process.



nourishing floor soap



textile protector



Lacq Nourishing Floor Soap is a cleaner for daily use on a floor treated with Lacq Rapidoil 2C. Thanks to the nourishing Floor Soap's essential ingredients, you give your floor the attention it needs.



Cleans and cares with one treatment

The nourishing ingredients in the Lacq nourishing floor cleaner mean that you can clean and care for your floor in one treatment.

Shiny, streak-free floor

Nourishing Floor Soap dries without streaks or residue, leaving a shiny, cared-for floor.

Suitable for all floors

Nourishing Floor Soap has been specially developed for floors treated with Rapidoil 2C, but is also suitable for cleaning all other water-repellent floors.

Biodegradable

Lacq Nourishing Floor Soap is pH neutral and fully biodegradable.

With Lacq products you protect not only your garden wood but also your garden textiles. Garden Textile Protector is a ready-to-use spray to make textiles water and dirt resistant. For example, you can protect your garden cushions against moisture stains and you can easily wipe away bird droppings.

Suitable for all outdoor textiles

In addition to protecting your garden cushions, Garden Textile Protector is also very suitable for umbrellas, sunshades, tablecloths and other textiles you use in and around the garden.

Easy to use

Garden Textile Protector is packed in a handy trigger bottle and is ready to use. So you can easily provide your textile with a protective and impregnating coat.

Long-lasting effect

The water, oil and dirt repellent protects your garden textiles throughout the season.



pine tar



bitumax



Lacq Pine Tar is a traditional wood tar made with natural ingredients. It is obtained by dry distillation (pyrolysis) of pine woods.

Lacq Bitumax is a professional, protective, tar-free, black, wood paint based on natural bitumen that can be used above and below the waterline. Lacq Bitumax is colour-fast and resistant to variations in water and air.

Natural protection

Pine Tar is made from natural ingredients. It is obtained by dry distillation (pyrolysis) of pine woods. It provides a penetrating and protective coating that doesn't prevent the absorption and release of moisture. It offers long-lasting protection to wood and gives it a natural deep brown colour.

Adheres quickly and is suitable for almost all applications

It can be applied to untreated wood and steel. It binds immediately and doesn't need a primer. It also adheres immediately to existing tar and bitumen layers.

Scandinavian quality

Used in Scandinavia for centuries, Swedish Tar protects soft wood against rot, insects and the weather. The best example are old wooden Viking boats found centuries later in relative good condition because of the Pine Tar treatment.

Made up of high-quality constituents

Bitumax consists of high-quality, natural bitumen, protecting your surface with quality.

Robust application

Pine Tar is used mainly for sheds and fences. It is also used to protect wooden posts that are driven into the ground.

Lends a long-lasting deep-black lustre

Bitumax's high quality ingredients provide the long-lasting, characteristic, deep-black colour regardless of the weather.



Fluxaf Green



Fluxaf Green removes of most types of paint and textured coatings from almost any type of surface.

Available in 0.5L, 1L, 2.5L, 5L & 20L

Fluxaf Super



Fluxaf Super removes of most types of paint and textured coatings from almost any type of surface.

Available in in 0.5L, 1L, 2.5L, 5L & 20L

Fluxaf Pro



The fast and powerful solution for the removal of most types of paint and textured coatings from almost any type of surface.

Available in in 0.75L, 5L & 20L

Fluxaf Pro-Clean



This biodegradable solution especially suited for the fast degreasing and removal of surface contamination from practically all hard surfaces.

Available in 1L, 5L & 20L

Fluxaf Graffi-Clean



Remove graffiti, marker or chewing gum from almost any type of surface with Fluxaf Graffi-Clean.

Available in 0.5L, 5L & 20L

Fluxaf PVCu Restorer



Fluxaf PVCu Restorer is an powerful eco-friendly and water-based restorer for removing ingrained dirt from PVCu.

Available in 0.5L, 5L & 20L

Fluxaf Power-Clean



Fluxaf Power-Clean is a very powerful ready-to-use cleaner and degreaser. The especially designed solution of Power-Clean allows for the removal of tough stains from practically all hard surfaces.

Available in 0.75L

Fluxaf Mould Remover




Biodegradable Fluxaf Mould and Mildew Stain Remover is designed to professionally remove tough stains caused by mould and mildew.

Available in 0.75L



Dutch quality since 1839



Vliegthart B.V.
PO Box 6330, 4000 HH Tiel
Tel +31 - (0)344 - 633 336
info@vliegthart.com
www.vliegthart.com

For more information:
www.lacq.eu



By Appointment to
The Royal Court of
The Netherlands